

Additional Problems for Mathematics 1b Handout C

If f is a function, then $P_n(x)$, the Taylor polynomial about $x = 0$ associated to f , is to be thought of as a "good" approximation of f for x near zero. Let's consider the polynomial

$$f(x) = x^3 - 4x^2 + 4x.$$

- (a) What do you think the best linear approximation of this polynomial (approximation of the form $P_1(x) = a_0 + a_1x$) ought to be at the point $b = 0$? Why?
What is the best quadratic approximation of the polynomial f (approximation of the form $P_2(x) = a_0 + a_1x + a_2x^2$) at the point $b = 0$?
What is the best cubic approximation of the polynomial f (approximation of the form $P_3(x) = a_0 + a_1x + a_2x^2 + a_3x^3$) at the point $b = 0$? Does this surprise you? Why or why not?
- (b) The number 2 is a critical point of f . If we write $P_n(x) = a_0 + a_1(x - 2) + a_2(x - 2)^2 + \dots + a_n(x - 2)^n$ then a_1 will be zero. Why?
In addition, a_4, a_5, \dots, a_n will all be zero. Why is that?
- (c) If b is any real number and we write $P_n(x) = a_0 + a_1(x - b) + a_2(x - b)^2 + \dots + a_n(x - b)^n$ then what can we say about a_4, a_5, \dots ? Why?