

Math S-21b – Summer 2004 – Practice Exam #1

(1) True or False. (Circle one) You need not give your reasoning.

a) If T_1, T_2 are two linear transformations from \mathbf{R}^3 to \mathbf{R}^3 such that $\ker(T_1) = \ker(T_2)$ and $\text{image}(T_1) = \text{image}(T_2)$, then $T_1 = T_2$.	a) TRUE	FALSE
b) The kernel of $\text{rref}(\mathbf{A})$ is the same as the kernel of \mathbf{A} .	b) TRUE	FALSE
c) The image of $\text{rref}(\mathbf{A})$ is the same as the image of \mathbf{A} .	c) TRUE	FALSE
d) If \mathbf{A} and \mathbf{B} are $n \times n$ matrices such that the kernel of \mathbf{A} is contained in the image of \mathbf{B} , then the matrix \mathbf{AB} cannot be invertible.	d) TRUE	FALSE
e) Let \mathbf{A} and \mathbf{B} be $n \times n$ matrices, with $\mathbf{AB} = \mathbf{BA}$. Then $\mathbf{A}^3\mathbf{B} = \mathbf{BA}^3$.	e) TRUE	FALSE
f) If \mathbf{A} is an $n \times n$ matrix, $\mathbf{A}^2 = \mathbf{A}$, and $\text{rank}(\mathbf{A}) = n$, then $\mathbf{A} = \mathbf{I}_n$.	f) TRUE	FALSE

2) Short answer questions:

a) If $\mathbf{B} = \begin{bmatrix} 2 & 1 \\ 5 & 3 \end{bmatrix}$ and $\mathbf{C} = \begin{bmatrix} 4 & 2 \\ 1 & 0 \end{bmatrix}$ and $\mathbf{AB} = \mathbf{C}$, what is \mathbf{A} ?

b) Let $\mathbf{A} = \begin{bmatrix} 5 & -12 \\ 12 & 5 \end{bmatrix}$.

Describe briefly, in geometric terms, the linear transformation represented by this matrix.

c) For which choices of the constant k is the matrix $\mathbf{A} = \begin{bmatrix} 1 & 1 & 1 \\ 1 & 2 & k \\ 1 & 4 & k^2 \end{bmatrix}$ not invertible? Explain briefly.

d) Find a basis for the subspace of \mathbf{R}^4 that consists of all vectors orthogonal to both $\begin{bmatrix} 1 \\ 0 \\ -1 \\ 1 \end{bmatrix}$ and $\begin{bmatrix} 0 \\ 1 \\ 2 \\ 3 \end{bmatrix}$.

3) Let \mathbf{A} be the 3×5 matrix $\mathbf{A} = \begin{bmatrix} 1 & 1 & 1 & 0 & 0 \\ -1 & 3 & -5 & 2 & 8 \\ 2 & 3 & 1 & 2 & 5 \end{bmatrix}$.

a) Find a basis for the kernel of \mathbf{A} and its dimension, i.e. the nullity.

b) Find a basis for the image of \mathbf{A} and its dimension, i.e. the rank.

c) Find all solutions of the equation $\mathbf{Ax} = \mathbf{b}$, where $\mathbf{b} = \begin{bmatrix} 3 \\ 5 \\ 11 \end{bmatrix}$.

4) Let \mathcal{B} be the basis of \mathbf{R}^3 consisting of the vectors $\mathbf{v}_1 = \begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix}$, $\mathbf{v}_2 = \begin{bmatrix} 3 \\ 1 \\ 0 \end{bmatrix}$, $\mathbf{v}_3 = \begin{bmatrix} 1 \\ 0 \\ 1 \end{bmatrix}$.

Let $T: \mathbf{R}^3 \rightarrow \mathbf{R}^3$ be the linear transformation such that $T(\mathbf{v}_1) = \mathbf{v}_2$, $T(\mathbf{v}_2) = \mathbf{v}_1$, and $T(\mathbf{v}_3) = -\mathbf{v}_3$.

a) Find the coordinates of the vector $\begin{bmatrix} 2 \\ 1 \\ 3 \end{bmatrix}$ relative to the basis \mathcal{B} .

b) Find the matrix \mathbf{B} of T with respect to the basis \mathcal{B} .

c) Find the matrix \mathbf{A} of T with respect to the standard basis $\{\mathbf{e}_1, \mathbf{e}_2, \mathbf{e}_3\}$ of \mathbf{R}^3 .