


Lecture 10: Worksheet

The chain rule

Tomorrow is Valentine day.



The **Valentine equation** $(x^2 + y^2 - 1)^3 - x^2y^3 = 0$ relates x with y , but we can not write the curve as a graph of a function $y = g(x)$. Extracting y or x is difficult. The set of points satisfying the equation looks like a heart.

You can check that $(1, 1)$ satisfies the Valentine equation. Near it, the curve looks like the graph of a function $g(x)$. Lets fill that in and look at the function

$$f(x) = (x^2 + g(x)^2 - 1)^3 - x^2g(x)^3$$

The key is that $f(x)$ is actually zero and if we take the derivative, then we get zero too. Using the chain rule, we can take the derivative

$$f'(x) = 3(x^2 + g(x)^2 - 1)(2x + 2g(x)g'(x)) - 2xg(x)^3 - x^23g(x)^2g'(x) = 0$$

Magically, we can solve for g'

$$g'(x) = -\frac{3(x^2 + g(x)^2 - 1)2x - 2xg(x)^3}{3(x^2 + g(x)^2 - 1)2g(x) - 3x^2g(x)^2}.$$

Filling in $x = 1, g(x) = 1$, we see this is $-4/3$. We have computed the slope of g without knowing g . Isn't that magic? If this was a bit too complicated, don't worry. We will have an entire lecture on this later in the course.

- 1 Compute the derivative of $f(x)$ using the chain rule and verify the formula above.

