

This is part 3 (of 3) of the homework which is due July 8 at the beginning of class.

SUMMARY:	EXAMPLES:
<ul style="list-style-type: none"> • $x = r \cos(\theta)$ • $y = r \sin(\theta)$ • $z = z$ <p>cylindrical coordinates</p>	<ul style="list-style-type: none"> • $r = 1$, cylinder. • $\rho = 1$, sphere. • $r = z$, cone
<ul style="list-style-type: none"> • $x = \rho \sin(\phi) \cos(\theta)$ • $y = \rho \sin(\phi) \sin(\theta)$ • $z = \rho \cos(\phi)$ <p>spherical coordinates</p>	<ul style="list-style-type: none"> • $\vec{r}(u, v) = P + u\vec{u} + v\vec{v}$ plane • $\vec{r}(u, v) = (\cos(u) \sin(v), \sin(u) \sin(v), \cos(v))$ sphere • $\vec{r}(u, v) = (\cos(u), \sin(u), v)$ cylinder • $\vec{r}(u, v) = (u, v, f(u, v))$ graph of f
<ul style="list-style-type: none"> • $\vec{r}(u, v) = (x(u, v), y(u, v), z(u, v))$ defines a parametric surface. 	

Homework Problems

1) (4 points)

- a) What is the equation for the surface $x^2 + y^2 - 5x = z^2$ in cylindrical coordinates?
 b) Describe in words or draw a sketch of the surface whose equation is $\rho = \sin(\phi)$ in spherical coordinates (ρ, θ, ϕ) .

Solution:

- a) $r^2 - 5r \cos(\theta) = z^2$.
 b) This is a fat bagle.

2) (4 points) Plot the surface with the parametrization $\vec{r}(u, v) = (v^2 \cos(u), v^2 \sin(u), v)$, where $u \in [0, 2\pi]$ and $v \in \mathbf{R}$.

Solution:

It is a surface of revolution, very thin at the origin. The shape is a parabola but it is bent the other way round as in the paraboloid.

3) (4 points) Find a parametrization for the triangle in space which has the vertices $(3, 4, 1)$, $(1, 2, 1)$ and $(0, 3, 4)$.

Solution:

$\vec{r}(s, t) = (3 - 2s - 3t, 4 - 2s - t, 1 + 3t)$, where (s, t) run over the triangle in the st -plane spanned by $(0, 0)$, $(1, 0)$, $(0, 1)$.


4) (4 points) Find two different parametrisations of the lower half of the ellipsoid $2x^2 + 4y^2 + z^2 = 1$.

Solution:

- 1) $\vec{r}(u, v) = (u, v, -\sqrt{1 - 2u^2 - 4v^2})$.
 2) $\vec{r}(\theta, \phi) = (\sin(\phi) \cos(\theta)/\sqrt{2}, \sin(\phi) \sin(\theta)/2, \cos(\phi))$.

- 5) (4 points) Find a parametrisation of the **torus** which is obtained as the set of points which have distance 1 from the circle $(2 \cos(\theta), 2 \sin(\theta), 0)$, where θ is the angle occurring in cylindrical and spherical coordinates.

Hint: Keep $u = t$ as one of the parameters and let r the distance of a point on the torus to the z -axis. This distance is $r = 2 + \cos(\phi)$ if ϕ is the angle you see on Figure 1. You can read off from the same picture also $z = \sin(\phi)$. To finish the parametrization problem, you have to translate back from cylindrical coordinates $(r, \theta, z) = (2 + \cos(\phi), \theta, \sin(\phi))$ to Cartesian coordinates (x, y, z) . Write down your result in the form $\vec{r}(\theta, \phi) = (x(\theta, \phi), y(\theta, \phi), z(\theta, \phi))$.



Solution:

$$\vec{r}(\theta, \phi) = ((2 + \cos(\phi)) \cos(\theta), (2 + \cos(\phi)) \sin(\theta), \sin(\phi)).$$


Challenge Problems

(Solutions to these problems are **not** turned in with the homework.)

- 1) Try to graph without computer the surface $r = f(\theta, \phi) = (2 + \sin(3\theta))(2 + \cos(2\phi))$ (It is a **graph** in spherical coordinates (r, ϕ, θ) .)

Hint. Do it in stages. First graph $r = 2$ (the sphere), then $r = (2 + \sin(3\theta))$, then draw a sketch of the final surface.

- 2) How would you design analogues of spherical or cylindrical coordinates in 4 dimensions?
- 3) Sketch the surface $r(u, v) = (2 + 2v \cos(\pi u)) \cos(2\pi u), (2 + 2v \cos(\pi u)) \sin(2\pi u), v \sin(\pi u)$.
- 4) The **torus** is obtained by bending and gluing the ends of a cylinder together.



The **Klein bottle** is obtained in the same way, however, the ends are put together with opposite directions. This can not be achieved without self-intersection. Take one end of the tube, bend it, enter the tube first to match the ends in the opposite direction as for the torus. Can you find a parametrisation $r(u, v)$ for this surface? On the handout for this lecture, you find a parametrization of the same surface but which looks different. The idea is to have a parametrization which produces the "bottle".

